	CLASSIFICATION OFFICIALS ONT		
	INFORMATION REPORT	REPORT	
. ()		CD NO.	
OUNTRY	USSR (Kharkev Oblast)	DATE DISTR.	9 May 1952
SUBJECT	Tank Works and Power Statton at Kharkov	NO. OF PAGES	
	Document No.		
NFO.	assified	NO. OF ENCLS.	_
COUIRED	hanged To: TS S @ HR 70-2	SUPPLEMENT TO	50X1-HU
ATION OF ITS C	U.S. CODE, AS AMENDED. ITS TRANSWISSION OR REVE- OMTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS WITH THE REPRODUCTION OF THIS FORM IS PROHIBITED.	LUATED INFORMATION	50X1-HU
	The Table Works		
	Location	5.	
I.	Lookilon	factod in the nort	:h 50X1-HL
ı.	Location A tank works	tasted in the mort	: h~ 50X1-HL
2.	Location A tank works east outskirts of Kharkov, shout 1.5 km east of a st Comeral Description	restour terminal. To is surrour Tharbed wire. We is is patrolled by	50X1-HU
	Location A tank works east outskirts of Kharkov, shout 1.5 km east of a st Comeral Description The works occupies an estimated area of 1000 m x 750 by a very high brick wall summanded by three ress of towers stand outside the walls. After dark the work	restour terminal. To is surrour Tharbed wire. We is is patrolled by	50X1-HU
	Location A tank works is at Kharkov, shout too km east of a st Comercal Description The works occupies an estimated area of 1000 m x 750 by a very high brick wall summanied by three rese o towers stand outside the walls. Ther dark the work guards. Double scattries in uniform stand at the or	restour terminal. n. It is surrour barred wire. Wa s is patrolled by transes.	5UX1-HC aded toth—
2.	Location A tank works is at Kharkov, shout 1.5 km cast of a st cast outskirts of Kharkov, shout 1.5 km cast of a st concral Description The works occupies an estimated area of 1000 m x 750 by a very high brick wall surmounted by three ress of towers stand outside the walls. After dark the work guards. Double scatters in uniform stand at the or Personnel Personnel consisted entirely of Soviet workers, but	restour terminal. n. It is surrour barred wire. Wa s is patrolled by transes.	50X1-HC aded toth—
2.	Location A tank works is of Kharkov, about 1.5 km cast of a st General Description The works occupies an estimated area of 1000 m x 750 by a very high brick well surmounted by three ress o towers stand outside the wells. After dark the work guards. Double scattles in uniform stand at the en Personnel consisted entirely of Soviet workers, but known.	restour terminal. n. It is surrour barred wire. Wa s is patrolled by transes.	5UX1-HU
3,	Location A tank works is of Kharkov, shout her known of a st General Description The works occupies an estimated area of 1000 m x 750 by a very high brick well surmounted by three ress o towers stand outside the walls. After dark the work guards. Double scattries in usiforms stand at the en Personnel consisted entirely of Soviet workers, but known. Product Tanks of the following types, which	restour terminal. The surrour flags of the surrour sis patrolled by themses. Their number was number was number making tri	5UX1-HU
3.	Location A tank works is af Kharkov, shout he km cast of a st General Description The works occupies an estimated area of 1000 m x 750 by a very high brick well surrounded by three rest o towers stand outside the wells. After dark the work guards. Double scattries in uniform stand at the or Personnel consisted entirely of Soviet workers, but known. Product tanks of the following types, which runs:	m. It is surrour barbed wire. Was as patrolled by transos. their number was a were making tri	50X1-HU
3.	Location A tank works is at the following types, which The works occupies an estimated area of 1000 m x 750 by a very high brick wall summounted by three reas o towers stand outside the walls. Liver dark the work guards. Double scattries in uniforms stand at the or Personnel consisted entirely of Soviet workers, but known. Personnel consisted entirely of Soviet workers, but known. Tons: tanks of the following types, which Tons:	m. It is surrour barbed wire. Was as patrolled by transos. their number was a were making tri	50X1-HU

	SECRET/CONTROL-US OFFICIALS ONLY		
	50X1-HUM		
	The Power Station		
	Location		
5•	The power station lies about 500 m north of the tank works described in the preceding paragraphs. 50X1-HUM		
-	History		
6•	50X1-HUM		
	the power station was a newly-built structure and had been placed in commission at the beginning of 1950. General Description		
7.	The station occupies an area of about 200 m x 150 m. It is surrounded by a high brick wall without barbed wire. There are no watchtowers. Three tall chimneys project above the wall.		
	Personnel.		
8.	Only Soviets were said to be employed at the station.		
	50X1-HUM		

SECRET/CONTROL-US OFFICIALS ONLY

-2-